

# BELLEMURO<sup>®</sup>

## upholstered panels

### Description

Luxury upholstered panels available in fabric, leather, suede and vinyl.

### Product Benefits

Pre-finished and ready to install; available in stain resist.

<b>Sizes</b>	450 x 450	225 x 900
	450 x 900	225 x 1200
	900 x 900	225 x 1300
	900 x 2400	225 x 1350
	900 x 2700	

<b>Thickness</b>	23-23.5mm	33-33.5mm
------------------	-----------	-----------

### “Lean on Me” Upholstered Panels

<b>Sizes</b>	250 x 900	250 x 2100
	250 x 1200	250 x 2400

<b>Thickness</b>	33-33.5mm
------------------	-----------

7 year limited warranty

### Environment

Belle Muro's products are designed with mindful consideration of the future, embracing and respecting life in the present and caring for the wellbeing of generations to come. The fundamental design of our panels allows for remodelling and refreshing. Our panels are manufactured from good quality, long lasting materials - reducing waste and landfill and lowering greenhouse gas emissions. Upholstered Panels are handcrafted and provide local employment and reduce imports. Our fabrics are free of potentially harmful levels of PROS, PFOA, formaldehyde, heavy metals, phenols, phthalates, odour and skin sensitizers and can be recycled. Our suppliers are active participants in waste reduction and recycling programs for manufacturing remnants.



## Absolute

Composition	85% PVC 15% Polyester
Abrasion resistance	Test method AS2001.1.25 (12kPa) Martindale method. No significant wear after 100,000+ rubs
Meets F.R. standards for use in commercial areas	F.R. properties: Tested to Australian Standards (AS 1530.3) Spread of flame: 0 Smoke developed:5 I.M.O. Standards A.652 (16) F.A.S. – 25.853
Anti-microbial & anti-bacterial	Sanitised to inhibit growth of bacteria, mould & mildew
Ezyclean®	Ezyclean® technology is a ground-breaking feature that offers the highest level of stain resistance. Ezyclean® will ensure the easy removal of tough stains using alcohol or bleach solutions. No damage will occur to the appearance of the vinyl even after repeated cleaning, making the only choice for commercial and healthcare applications.
Colour fastness	Light fastness rating 6-7. ISO 105-B02-1994 (Grey scale 1-5)
Colour fastness to bleach	Tested to Australian Standards (AS 2001.4.11). No change of colour rating 4-5
ROHS standards	Absolute is ORHS certified, restricting the use of hazardous substances. No Formaldehyde, Lead, Mercury & Chromium is used in the manufacturing process.
Usage	Suitable for heavy commercial, healthcare, marine
Care & maintenance	Most stains can be cleaned using warm soapy water, followed by clean water rinsing. Moderate scrubbing with a medium bristle brush will help loosen soiling from the embossed surface. Failure to following cleaning instructions may permanently stain and reduce the life of the vinyl.
Quality	Absolute is designed and manufactured in accordance with the quality assurance system ISO 9001.

## Micro, Network, Ranch, Suede, Woodford

Crypton® Super Fabric is perfect for demanding environments. Providing heavy-duty durability, unparalleled liquid, stain and microbial resistance, plus an impenetrable moisture barrier, Crypton allows products to stay beautiful and last longer. All Crypton Super Fabrics endure rigorous performance testing and must meet or exceed the minimum standards listed below.

Composition	100% Polyester
Abrasion resistance	Oscillatory Cylinder Method – ASTM D 4157 (cotton duck) ≥ 50k double rubs Martindale Abrasion – ASTM D 4966/ ISO 12947-2 ≥ 40k Cycles
Flammability	Cal TB 117, Section E/NFPA 260/UFAC, IMO, FMVSS 302 Auto, FAR 25.853 Transportation, European Test Methods
Microbial protection	Bacteria Resistance – ISO 20743, ATCC 4352 – 95% ± 5% Fungal Growth Resistance – AATCC 30, ATCC 6275 – 95% ± 5%
Colour fastness	Xenon Arc Lamp Method AATCC 16 Option 1 or 3 ≥ Class 4 at 40 hours ISO 105-B02 ≥ Class 4 at 40 hours
Usage	Suitable for heavy commercial, healthcare
Care & maintenance	Spot cleaning/stain resistance: With Water and Mild Detergent (1% dishwashing liquid or laundry detergent). Durable to a variety of pH-neutral cleaners and disinfectants. Do not use solvent cleaners
Quality & Environment	Third-party tested for VOC's – Compliant to California Section 01350 GREENGUARD Gold Certified. Free of potentially harmful levels of PROS, PFOA, formaldehyde, heavy metals, phenols, phthalates, odour and skin sensitizers. Does not contain REACH Substances OF Very High Concern. Can be recycled. Ongoing waste reduction and recycling program for manufacturing remnants.

# BELLEMURO<sup>®</sup>

## upholstered panels

### Jewell, Thread, Crackle

Composition	85% High Density Polyurethane 15% Polyester
Abrasion resistance	Test method AS2001.1.25 (12kPa) Martindale method. No significant wear after 100,000+ rubs
Meets F.R. standards for use in commercial areas	Meets F.R. standards for use in commercial areas F.R. properties: Tested to Australian Standards (AS 1530.3) AS/NZS 3837
Greengard	A stain resistant barrier that enables the fabric to be cleaned with bleach and low solvent based products e.g. Isopropyl alcohol
Microbial protection	Greenguard barrier protects against microbial and bacterial Growth. Greenguard allows the surface to be disinfected by using 1:10 bleach solution
Colour fastness	Light fastness rating 6-7. ISO 105-B02-1994 (Grey scale 1-5)
Usage	Suitable for heavy commercial, healthcare
Care & maintenance	Regular cleaning is recommended to maintain the appearance of the fabric and to prevent build up of dirt and contaminants. Most stains can be cleaned using warm soapy water followed by clean water rinsing. Stubborn stains – for best results treat all stains immediately. Wipe stains with cloth dipped in isopropyl alcohol, rinse with clean water to remove any residual cleaning agent and let dry.
Quality	Jewell is certified as low VOC and will not negatively impact air quality